



KAMENSKVOLOKNO
www.aramid.ru



AVENTEL FRANCE



QUALITY is our tradition

Packaging for
agriculture

TWINES

- over 65 years of experience in synthetic fiber production
- the biggest manufacturer of synthetic fiber and twine in Russia
- certified to ISO 9001 and ISO 14001 standards
- Cutting edge production line Oerlikon Barmag

We can offer our customers the following range of high-density baler twines:

High-density twines for round and square balers



K Pack
750

Perfect for wrapping round 300 kg bales

5 kg spool of twine wraps up to 88 bales weighing up to 300 kg



K Pack
500

High elasticity
Made to secure 500 kg bales

5 kg spool of twine wraps up to 74 bales weighing up to 500 kg

Specifications

Type	K Pack 750	K Pack 500
Tensile strength, N (kg), max	770 (79)	900 (92)
Extensibility (%)	10-15	10-15
Density (m/kg)	600	500
Density (m/spool)	3000	2500
Spool weight (kg)	5	5

Twines produced by «KamenskVолоkno» are compatible with all models of square and round balers (Claas, Krone, etc.)



Extra High-Density twines for big balers



K Pack
140

Versatile and cost-effective
Made for wrapping 300 kg bales

10 kg spool of twine wraps up to 77 bales weighing up to 300 kg



K Pack
130

Maximum performance and resistance
Made for wrapping 800 kg bales

10 kg spool of twine wraps up to 63 bales weighing up to 800 kg

Specifications

Type	K Pack 150	K Pack 140	K Pack 130	K Pack 115	K Pack 110	K Pack 100
Tensile strength, N (kg), max	3216 (328)	3360 (343)	3696 (377)	4128 (421)	4320 (440)	4500 (458)
Knot strength, N (kg), max	1962 (200)	2049 (209)	2254 (229)	2518 (257)	2635 (268)	2700 (275)
Extensibility (%)	10-15	10-15	10-15	10-15	10-15	10-15
Density (m/kg)	150	140	130	115	110	100
Density (m/spool)	1500	1400	1300	1150	1100	1000
Spool weight (kg)	10	10	10	10	10	10

HORTICULTURAL TWINES VINE/HOP/GROWERS



- Viticulture and gardening applications ensuring safe ripening
- Strong and flexible
- Excellent consistency
- Superb knotability
- UV stabilised for increased durability
- Available in a range of colors

Specifications

Type	K Horti 1000	K Horti 850
Tensile strength N (kg), max	479 (47)	500 (49)
Extensibility (%)	15	15
Density (m/kg)	950	800
Density (m/spool)	4750	4000
Spool weight (kg)	5	5

Anti-UV treatment preserves twine properties during 1 year



88 avenue des Ternes, 75017 Paris France

Phone: +33 (0) 1 43 80 33 07

Fax: +33 (0) 1 43 80 33 08

Web: www.agro-kpack.com

Mail: info@agro-kpack.com